

| Parameter                             | Minimum Reporting Limit | FDA SOQ / EPA MCL | Calistoga® Spring Water 5 Gallon |
|---------------------------------------|-------------------------|-------------------|----------------------------------|
| <b>Physical</b>                       |                         |                   | <b>REPORTED RESULTS</b>          |
| Apparent Color (ACU)                  | 3                       | 15                | ND                               |
| Odor at 60 C (TON)                    | 1                       | 3                 | ND                               |
| Turbidity (NTU)                       | 0.05                    | 5                 | 0.054                            |
| <b>Microbiologicals</b>               |                         |                   |                                  |
| Total Coliforms (Cfu/100 mL)          | NA                      | Absent            | ND                               |
| <b>Radiologicals</b>                  |                         |                   |                                  |
| Gross Alpha (pCi/L)                   | 3                       | 15                | ND                               |
| Gross Beta (pCi/L)                    | 4                       | 50.00†            | ND                               |
| Radium-226 + Radium-228 (sum) (pCi/L) | NA                      | 5                 | ND                               |
| Uranium                               | 0.001                   | 0.03              | ND                               |
| <b>Volatile Organic Compounds</b>     |                         |                   |                                  |
| 1,1,1-Trichloroethane (1,1,1-TCA)     | 0.0005                  | 0.2               | ND                               |
| 1,1,2,2-Tetrachloroethane             | 0.0005                  | 0.001†            | ND                               |
| 1,1,2-Trichloroethane (1,1,2-TCA)     | 0.0005                  | 0.005             | ND                               |
| 1,1,2-Trichlorotrifluoroethane        | 0.01                    | 1.200†            | ND                               |
| 1,1-Dichloroethane (1,1-DCA)          | 0.0005                  | 0.005†            | ND                               |
| 1,1-Dichloroethylene                  | 0.0005                  | 0.007             | ND                               |
| 1,2,4-Trichlorobenzene                | 0.0005                  | 0.07              | ND                               |
| 1,2-Dichlorobenzene (o-DCB)           | 0.0005                  | 0.6               | ND                               |
| 1,2-Dichloroethane (1,2-DCA)          | 0.0005                  | 0.005             | ND                               |
| 1,2-Dichloropropane                   | 0.0005                  | 0.005             | ND                               |
| 1,4-dichlorobenzene (p-DCB)           | 0.0005                  | 0.075             | ND                               |
| Benzene                               | 0.0005                  | 0.005             | ND                               |
| Carbon tetrachloride                  | 0.0005                  | 0.005             | ND                               |
| Chlorobenzene (Monochlorobenzene)     | 0.0005                  | 0.1               | ND                               |
| cis-1,2-Dichloroethylene              | 0.0005                  | 0.07              | ND                               |
| Ethylbenzene                          | 0.0005                  | 0.7               | ND                               |
| Methylene Chloride (Dichloromethane)  | 0.0005                  | 0.005             | ND                               |
| Methyl-tert-Butyl-ether (MTBE)        | 0.003                   | 0.013†            | ND                               |
| Styrene                               | 0.0005                  | 0.1               | ND                               |
| Tetrachloroethylene                   | 0.0005                  | 0.005             | ND                               |
| Toluene                               | 0.0005                  | 1                 | ND                               |
| trans-1,2-Dichloroethylene            | 0.0005                  | 0.1               | ND                               |
| trans-1,3-Dichloropropene (Telone II) | 0.0005                  | 0.0005†           | ND                               |
| Trichloroethene (TCE)                 | 0.0005                  | 0.005             | ND                               |
| Trichlorofluoromethane (Freon 11)     | 0.005                   | 0.150†            | ND                               |
| Vinyl chloride (VC)                   | 0.0005                  | 0.002             | ND                               |
| Xylene (Total)                        | 0.001                   | 10                | ND                               |

All units in (mg/l) or Parts per Million (PPM) unless otherwise indicated.

◆ EPA Secondary Standard - non-enforceable guidelines regulating contaminants that may cause cosmetic or aesthetic effects in drinking water

† Set by California Dept. of Health Services

| Parameter                             | Minimum Reporting Limit | FDA SOQ / EPA MCL | Calistoga® Spring Water 5 Gallon |
|---------------------------------------|-------------------------|-------------------|----------------------------------|
| <b>Physical</b>                       |                         |                   | <b>REPORTED RESULTS</b>          |
| Apparent Color (ACU)                  | 3                       | 15                | ND                               |
| Odor at 60 C (TON)                    | 1                       | 3                 | ND                               |
| Turbidity (NTU)                       | 0.05                    | 5                 | 0.054                            |
| <b>Microbiologicals</b>               |                         |                   |                                  |
| Total Coliforms (Cfu/100 mL)          | NA                      | Absent            | ND                               |
| <b>Radiologicals</b>                  |                         |                   |                                  |
| Gross Alpha (pCi/L)                   | 3                       | 15                | ND                               |
| Gross Beta (pCi/L)                    | 4                       | 50.00†            | ND                               |
| Radium-226 + Radium-228 (sum) (pCi/L) | NA                      | 5                 | ND                               |
| Uranium                               | 0.001                   | 0.03              | ND                               |
| <b>Volatile Organic Compounds</b>     |                         |                   |                                  |
| 1,1,1-Trichloroethane (1,1,1-TCA)     | 0.0005                  | 0.2               | ND                               |
| 1,1,2,2-Tetrachloroethane             | 0.0005                  | 0.001†            | ND                               |
| 1,1,2-Trichloroethane (1,1,2-TCA)     | 0.0005                  | 0.005             | ND                               |
| 1,1,2-Trichlorotrifluoroethane        | 0.01                    | 1.200†            | ND                               |
| 1,1-Dichloroethane (1,1-DCA)          | 0.0005                  | 0.005†            | ND                               |
| 1,1-Dichloroethylene                  | 0.0005                  | 0.007             | ND                               |
| 1,2,4-Trichlorobenzene                | 0.0005                  | 0.07              | ND                               |
| 1,2-Dichlorobenzene (o-DCB)           | 0.0005                  | 0.6               | ND                               |
| 1,2-Dichloroethane (1,2-DCA)          | 0.0005                  | 0.005             | ND                               |
| 1,2-Dichloropropane                   | 0.0005                  | 0.005             | ND                               |
| 1,4-dichlorobenzene (p-DCB)           | 0.0005                  | 0.075             | ND                               |
| Benzene                               | 0.0005                  | 0.005             | ND                               |
| Carbon tetrachloride                  | 0.0005                  | 0.005             | ND                               |
| Chlorobenzene (Monochlorobenzene)     | 0.0005                  | 0.1               | ND                               |
| cis-1,2-Dichloroethylene              | 0.0005                  | 0.07              | ND                               |
| Ethylbenzene                          | 0.0005                  | 0.7               | ND                               |
| Methylene Chloride (Dichloromethane)  | 0.0005                  | 0.005             | ND                               |
| Methyl-tert-Butyl-ether (MTBE)        | 0.003                   | 0.013†            | ND                               |
| Styrene                               | 0.0005                  | 0.1               | ND                               |
| Tetrachloroethylene                   | 0.0005                  | 0.005             | ND                               |
| Toluene                               | 0.0005                  | 1                 | ND                               |
| trans-1,2-Dichloroethylene            | 0.0005                  | 0.1               | ND                               |
| trans-1,3-Dichloropropene (Telone II) | 0.0005                  | 0.0005†           | ND                               |
| Trichloroethene (TCE)                 | 0.0005                  | 0.005             | ND                               |
| Trichlorofluoromethane (Freon 11)     | 0.005                   | 0.150†            | ND                               |
| Vinyl chloride (VC)                   | 0.0005                  | 0.002             | ND                               |
| Xylene (Total)                        | 0.001                   | 10                | ND                               |

All units in (mg/l) or Parts per Million (PPM) unless otherwise indicated.

◆ EPA Secondary Standard - non-enforceable guidelines regulating contaminants that may cause cosmetic or aesthetic effects in drinking water

† Set by California Dept. of Health Services

| Parameter   | Minimum Reporting Limit | FDA SOQ / EPA MCL     | Calistoga® Spring Water 5 Gallon |
|---|-------------------------|-----------------------|----------------------------------|
| <b>Chlorinated Acid Herbicides</b>                                      |                         |                       | <b>REPORTED RESULTS</b>          |
| 2,4,5-TP (Silvex)   | 0.001                   | 0.05                  | ND                               |
| 2,4-Dichlorophenoxyacetic acid(2,4-D)                                   | 0.01                    | 0.07                  | ND                               |
| Bentazon  | 0.002                   | 0.018†                | ND                               |
| Dalapon   | 0.01                    | 0.2                   | ND                               |
| Dinoseb   | 0.002                   | 0.007                 | ND                               |
| Pentachlorophenol   | 0.0002                  | 0.001                 | ND                               |
| Picloram  | 0.001                   | 0.5                   | ND                               |
| <b>Chlorinated Pesticides</b>   |                         |                       |                                  |
| Alachlor  | 0.001                   | 0.002                 | ND                               |
| Chlordane   | 0.0001                  | 0.002                 | ND                               |
| Endrin  | 0.0001                  | 0.002                 | ND                               |
| Heptachlor  | 0.00001                 | 0.0004                | ND                               |
| Heptachlor epoxide  | 0.00001                 | 0.0002                | ND                               |
| Lindane   | 0.0002                  | 0.0002                | ND                               |
| Methoxychlor  | 0.01                    | 0.04                  | ND                               |
| Polychlorinated biphenyls (PCBs)  | 0.0005                  | 0.0005                | ND                               |
| Toxaphene   | 0.001                   | 0.003                 | ND                               |
| <b>Miscellaneous Herbicides</b>   |                         |                       |                                  |
| 2,3,7,8-TCDD (DIOXIN) (ng/L)  | 0.005                   | 0.003 x 0.010 - 0.005 | ND                               |
| Diquat  | 0.004                   | 0.02                  | ND                               |
| Endothall   | 0.045                   | 0.1                   | ND                               |
| Glyphosate  | 0.025                   | 0.7                   | ND                               |
| <b>Semi-Volatile Organic Compounds (Acid/Base/Neutral extractables)</b> |                         |                       |                                  |
| Atrazine  | 0.0005                  | 0.003                 | ND                               |
| Benzo(a)pyrene  | 0.0001                  | 0.0002                | ND                               |
| bis(2-Ethylhexyl)phthalate  | 0.003                   | 0.006                 | ND                               |
| Di(2-ethylhexyl)adipate   | 0.005                   | 0.4                   | ND                               |
| Hexachlorobenzene   | 0.0005                  | 0.001                 | ND                               |
| Hexachlorocyclopentadiene   | 0.001                   | 0.05                  | ND                               |
| Molinate  | 0.002                   | 0.020†                | ND                               |
| Simazine  | 0.001                   | 0.004                 | ND                               |
| Thiobencarb   | 0.001                   | 0.070†                | ND                               |
| <b>Carbamates (Pesticides)</b>  |                         |                       |                                  |
| Aldicarb  | 0.003                   | 0.003                 | ND                               |
| Aldicarb sulfone  | 0.004                   | 0.002                 | ND                               |
| Aldicarb sulfoxide  | 0.003                   | 0.004                 | ND                               |
| Carbofuran  | 0.005                   | 0.04                  | ND                               |
| Oxamyl  | 0.02                    | 0.2                   | ND                               |

All units in (mg/l) or Parts per Million (PPM) unless otherwise indicated.

◆ EPA Secondary Standard - non-enforceable guidelines regulating contaminants that may cause cosmetic or aesthetic effects in drinking water

† Set by California Dept. of Health Services

| Parameter                      | Minimum Reporting Limit | FDA SOQ / EPA MCL | Calistoga® Spring Water 5 Gallon |
|--------------------------------|-------------------------|-------------------|----------------------------------|
| <b>Microextractables</b>       |                         |                   | <b>REPORTED RESULTS</b>          |
| 1,2-Dibromo-3-chloropropane    | 0.00001                 | 0.0002            | ND                               |
| 1,2-Dibromoethane (EDB)        | 0.00002                 | 5e-005            | ND                               |
| <b>Disinfection Byproducts</b> |                         |                   |                                  |
| Bromate                        | 0.001                   | 0.01              | ND                               |
| Chlorite                       | 0.02                    | 1                 | ND                               |
| D/DBP Haloacetic Acids (HAA5)  | 0.002                   | 0.06              | ND                               |
| Total Trihalomethanes (Calc.)  | 0.001                   | 0.08              | ND                               |
| <b>Residual Disinfectants</b>  |                         |                   |                                  |
| Chloramines                    | 0.1                     | 4                 | ND                               |
| Chlorine Dioxide               | 0.24                    | 0.8               | ND                               |
| Chlorine Residual, Total       | 0.1                     | 4                 | ND                               |
| <b>Other Contaminants</b>      |                         |                   |                                  |
| Perchlorate                    | 0.001                   | 0.002             | ND                               |

All units in (mg/l) or Parts per Million (PPM) unless otherwise indicated.

- ◆ EPA Secondary Standard - non-enforceable guidelines regulating contaminants that may cause cosmetic or aesthetic effects in drinking water
- † Set by California Dept. of Health Services

**MRL** - Minimum Reporting Limit. Where available, MRLs reflect the Method Detection Limits (MDLs) set by the U.S. Environmental Protection Agency or the Detection Limits for Purposes of Reporting (DLRs) set by the California Department of Health Services. These values are set by the agencies to reflect the minimum concentration of each substance that can be reliably quantified by applicable testing methods, and are also the minimum reporting thresholds applicable to the Consumer Confidence Reports produced by tap water suppliers.

**EPA MCL** - Maximum Contaminant Level. The highest level of a substance allowed by law in drinking water (bottled or tap water). The MCLs shown are the federal MCLs set by the U.S. Environmental Protection Agency and the Food and Drug Administration, unless no federal MCL exists. †Where no federal MCL exists, the MCLs shown are the California MCLs set by the California Department of Health Services. California MCLs are identified with an (†).

**FDA SOQ** - Standard of Quality. The standard of quality for bottled water is the highest level of a contaminant that is allowed in a container of bottled

water, as established by the United States Food and Drug Administration (FDA) and the California Department of Public Health. The standards can be no less protective of public health than the standards for public drinking water, established by the U.S. Environmental Protection Agency (EPA) or the California Department of Public Health.

**Reported Results** - The highest level of each substance detected at or above the MRL in representative finished product samples.

**ND** - Not detected at or above the MRL.

**NR** - Not listed in State or Federal drinking water regulations.

**NA** - Not applicable to specific test method or test parameter

**PPB** - Parts per Billion. Equivalent to micrograms per liter (µg/l).

**MFL** - Million Fibers per Liter.

**Spring water source:** Lukens Spring, Placer County, CA.



Our product has been thoroughly tested in accordance with federal and California law. Our bottled water is a food product and can not be sold unless it meets the standards established by the U.S. Food and Drug Administration and the California Department of Public Health.

#### REPORTED RESULTS

## Statements Required Under California Law

“Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Food and Drug Administration, Food and Cosmetic Hotline (1-888-723-3366).”

“Some persons may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, including, but not limited to, persons with cancer who are undergoing chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk from infections. These persons should seek advice about drinking water from their health care providers. The United States Environmental Protection Agency and the Centers for Disease Control and Prevention guidelines on appropriate means to lessen the risk of

infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).”

“The sources of bottled water include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water naturally travels over the surface of the land or through the ground, it can pick up naturally occurring substances as well as substances that are present due to animal and human activity. Substances that may be present in the source water include any of the following:

1. Inorganic substances, including, but not limited to, salts and metals, that can be naturally occurring or result from farming, urban storm water runoff, industrial or domestic wastewater discharges, or oil and gas production.
2. Pesticides and herbicides that may come from a variety of sources, including, but not limited to, agriculture, urban storm water runoff, and residential uses.

3. Organic substances that are byproducts of industrial processes and petroleum production and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.
4. Microbial organisms that may come from wildlife, agricultural livestock operations, sewage treatment plants, and septic systems.
5. Substances with radioactive properties that can be naturally occurring or be the result of oil and gas production and mining activities.”

**FDA website for recalls:**  
<http://www.fda.gov/opacom/7alerts.html>

In order to ensure that bottled water is safe to drink, the United States Food and Drug Administration and the State Department of Public Health prescribe regulations that limit the amount of certain contaminants in water provided by bottled water companies.

| Parámetro                                | Límite a Reportar | FDA SOQ / EPA MCL | Calistoga Agua de manantial de 5 galones |
|--|-------------------|-------------------|--|
| <b>RESULTADOS REPORTADOS</b>             |                   |                   |  |
| <b>Inorgánicos Primarios</b>             |                   |                   |  |
| Antimonio                                | 0.001             | 0.006             | ND                                       |
| Arsénico                                 | 0.002             | 0.01              | ND                                       |
| Asbesto (MFL)                            | 0.2               | 7                 | ND                                       |
| Bario                                    | 0.1               | 2                 | ND                                       |
| Berilio                                  | 0.001             | 0.004             | ND                                       |
| Cadmio                                   | 0.001             | 0.005             | ND                                       |
| Cromo                                    | 0.01              | 0.1               | ND                                       |
| Cianuro                                  | 0.1               | 0.2               | ND                                       |
| Fluoruro                                 | 0.1               | 2.0 (1.4 – 2.4)   | ND                                       |
| Plomo                                    | 0.005             | 0.005             | ND                                       |
| Mercurio                                 | 0.001             | 0.002             | ND                                       |
| Níquel                                   | 0.01              | 0.1               | ND                                       |
| Nitrato como N                           | 0.4               | 10                | ND                                       |
| Nitrito como N                           | 0.4               | 1                 | ND                                       |
| Selenio                                  | 0.005             | 0.05              | ND                                       |
| Talio                                    | 0.001             | 0.002             | ND                                       |
| <b>Inorgánicos Secundarios</b>           |                   |                   |  |
| Alcalinidad, Total como CaCO3            | 2                 | NR                | 57                                       |
| Aluminio                                 | 0.05              | 0.2               | ND                                       |
| Boro                                     | 0.1               | -                 | ND                                       |
| Bromuro                                  | 0.002             | NR                | 0.005                                    |
| Calcio                                   | 1                 | NR                | 11                                       |
| Cloruro                                  | 1                 | 250               | ND                                       |
| Cobre                                    | 0.05              | 1                 | ND                                       |
| Hierro                                   | 0.1               | 0.3               | ND                                       |
| Magnesio                                 | 0.5               | NR                | 4.8                                      |
| Manganeso                                | 0.02              | 0.05              | ND                                       |
| pH (Unidades de pH)                      |                   | 6.5 – 8.5         | 7.9                                      |
| Potasio                                  | 1                 | NR                | 3.6                                      |
| Plata                                    | 0.01              | 0.1               | ND                                       |
| Sodio                                    | 1                 | NR                | 5.1                                      |
| Conductancia Específica @ 25C (umhos/cm) | 2                 | NR                | 120                                      |
| Sulfato                                  | 0.5               | 250               | ND                                       |
| Total de Sólidos Disueltos               | 10                | 500               | 110                                      |
| Dureza Total (como CaCO3)                | 3                 | NR                | 47                                       |
| Zinc                                     | 0.05              | 5                 | ND                                       |

Todas las unidades en (mg/l) o Partes por Millón (PPM) a menos que se indique lo contrario.

◆ EPA Estándar Secundario – normas no obligatorias que regulan contaminantes que puedan causar efectos cosméticos o estéticos en el agua potable.

† Establecido por el Departamento de Servicios de Salud de California



| Parámetro                             | Límite a Reportar | FDA SOQ / EPA MCL | Calistoga Agua de manantial de 5 galones |
|---------------------------------------|-------------------|-------------------|--|
| <b>Física</b>                         |                   |                   | RESULTADOS REPORTADOS                    |
| Color Aparente (ACU)                  | 3                 | 15                | ND                                       |
| Olor a 60 C (TON)                     | 1                 | 3                 | ND                                       |
| Turbiedad (NTU)                       | 0.05              | 5                 | 0.054                                    |
| <b>Microbiológicos</b>                |                   |                   |  |
| Total de Coliformes (Cfu/100 mL)      |                   | Absent            | ND                                       |
| <b>Radiológicos</b>                   |                   |                   |  |
| Total Alfa (pCi/L)                    | 3                 | 15                | ND                                       |
| Total Beta (pCi/L)                    | 4                 | 50.00+            | ND                                       |
| Radio-226 + Radio-228 (suma) (pCi/L)  |                   | 5                 | ND                                       |
| Uranio                                | 0.001             | 0.03              | ND                                       |
| <b>Compuestos Orgánicos Volátiles</b> |                   |                   |  |
| 1,1,1-Tricloroetano (1,1,1-TCA)       | 0.0005            | 0.2               | ND                                       |
| 1,1,2,2-Tetracloroetano               | 0.0005            | 0.001+            | ND                                       |
| 1,1,2-Tricloroetano (1,1,2-TCA)       | 0.0005            | 0.005             | ND                                       |
| 1,1,2-Triclorotrifluoreto             | 0.01              | 1.200+            | ND                                       |
| 1,1-Dicloroetano (1,1-DCA)            | 0.0005            | 0.005+            | ND                                       |
| 1,1-Dicloroetileno                    | 0.0005            | 0.007             | ND                                       |
| 1,2,4-Triclorobenceno                 | 0.0005            | 0.07              | ND                                       |
| 1,2-Diclorobenceno (o-DCB)            | 0.0005            | 0.6               | ND                                       |
| 1,2-Dicloroetano (1,2-DCA)            | 0.0005            | 0.005             | ND                                       |
| 1,2-Dicloropropano                    | 0.0005            | 0.005             | ND                                       |
| 1,4-diclorobenceno (p-DCB)            | 0.0005            | 0.075             | ND                                       |
| Benceno                               | 0.0005            | 0.005             | ND                                       |
| Tetracloruro de Carbono               | 0.0005            | 0.005             | ND                                       |
| Clorobenceno (Monoclorobenceno)       | 0.0005            | 0.1               | ND                                       |
| cis-1,2-Dicloroetileno                | 0.0005            | 0.07              | ND                                       |
| Etilbenceno                           | 0.0005            | 0.7               | ND                                       |
| Cloruro de Metileno (Diclorometano)   | 0.0005            | 0.005             | ND                                       |
| Eter Metil Terbutílico (MTBE)         | 0.003             | 0.013+            | ND                                       |
| Estireno                              | 0.0005            | 0.1               | ND                                       |
| Tetracloroetileno                     | 0.0005            | 0.005             | ND                                       |
| Tolueno                               | 0.0005            | 1                 | ND                                       |
| trans-1,2-Dicloroetileno              | 0.0005            | 0.1               | ND                                       |
| trans-1,3-Dicloropropeno (Telone II)  | 0.0005            | 0.0005+           | ND                                       |
| Tricloroetano (TCE)                   | 0.0005            | 0.005             | ND                                       |
| Triclorofluometano (Freon 11)         | 0.005             | 0.150+            | ND                                       |
| Cloruro de Vinilo (VC)                | 0.0005            | 0.002             | ND                                       |
| Xileno (Total)                        | 0.001             | 10                | ND                                       |

Todas las unidades en (mg/l) o Partes por Millón (PPM) a menos que se indique lo contrario.

◆ EPA Estándar Secundario – normas no obligatorias que regulan contaminantes que puedan causar efectos cosméticos o estéticos en el agua potable.

† Establecido por el Departamento de Servicios de Salud de California

| Parámetro   | Límite a Reportar | FDA SOQ / EPA MCL     | Calistoga Agua de manantial de 5 galones |
|---|-------------------|-----------------------|--|
| <b>Herbicidas Ácidos Clorinados</b>   |                   |                       | RESULTADOS REPORTADOS                    |
| 2,4,5-TP (Silvex)   | 0.001             | 0.05                  | ND                                       |
| 2,4-ácido Diclorofenoxiacético (2,4-D)  | 0.01              | 0.07                  | ND                                       |
| Bentazona   | 0.002             | 0.018†                | ND                                       |
| Dalapon   | 0.01              | 0.2                   | ND                                       |
| Dinoseb   | 0.002             | 0.007                 | ND                                       |
| Pentaclorofenol   | 0.0002            | 0.001                 | ND                                       |
| Picloram  | 0.001             | 0.5                   | ND                                       |
| <b>Pesticidas Clorinados</b>  |                   |                       |  |
| Alacloro  | 0.001             | 0.002                 | ND                                       |
| Clordán   | 0.0001            | 0.002                 | ND                                       |
| Endrina   | 0.0001            | 0.002                 | ND                                       |
| Heptacloro  | 0.00001           | 0.0004                | ND                                       |
| Heptaclorepóxido  | 0.00001           | 0.0002                | ND                                       |
| Lindano   | 0.0002            | 0.0002                | ND                                       |
| Metoxicloro   | 0.01              | 0.04                  | ND                                       |
| Bifenilos Policlorados (PCBs)   | 0.0005            | 0.0005                | ND                                       |
| Toxafeno  | 0.001             | 0.003                 | ND                                       |
| <b>Herbicidas Misceláneos</b>   |                   |                       |  |
| 2,3,7,8-TCDD (DIOXIN) (ng/L)  | 0.005             | 0.003 x 0.010 - 0.005 | ND                                       |
| Diquat  | 0.004             | 0.02                  | ND                                       |
| Endotal   | 0.045             | 0.1                   | ND                                       |
| Glifosato   | 0.025             | 0.7                   | ND                                       |
| <b>Compuestos Orgánicos Semi-Volátiles (Extraíbles Ácidos/Base/Neutrales)</b> |                   |                       |  |
| Atrazina  | 0.0005            | 0.003                 | ND                                       |
| Benzo(a)pireno  | 0.0001            | 0.0002                | ND                                       |
| bis(2-Etilhexil)ftalato   | 0.003             | 0.006                 | ND                                       |
| Di(2-Etilhexil)adipato  | 0.005             | 0.4                   | ND                                       |
| Hexaclorobenceno  | 0.0005            | 0.001                 | ND                                       |
| Hexaclorociclopentadieno  | 0.001             | 0.05                  | ND                                       |
| Molinato  | 0.002             | 0.020†                | ND                                       |
| Simazina  | 0.001             | 0.004                 | ND                                       |
| Tiobencarbo   | 0.001             | 0.070†                | ND                                       |
| <b>Carbamatos (Pesticidas)</b>  |                   |                       |  |
| Aldicarb  | 0.003             | 0.003                 | ND                                       |
| Sulfonato de Aldicarb   | 0.004             | 0.002                 | ND                                       |
| Sulfóxido de Aldicarb   | 0.003             | 0.004                 | ND                                       |
| Carbofurano   | 0.005             | 0.04                  | ND                                       |
| Oxamyl  | 0.02              | 0.2                   | ND                                       |

Todas las unidades en (mg/l) o Partes por Millón (PPM) a menos que se indique lo contrario.

◆ EPA Estándar Secundario – normas no obligatorias que regulan contaminantes que puedan causar efectos cosméticos o estéticos en el agua potable.

† Establecido por el Departamento de Servicios de Salud de California



| Parámetro                        | Límite a Reportar | FDA SOQ / EPA MCL | Calistoga Agua de manantial de 5 galones |
|----------------------------------|-------------------|-------------------|--|
| <b>RESULTADOS REPORTADOS</b>     |                   |                   |  |
| <b>Microextraíbles</b>           |                   |                   |  |
| 1,2-Dibromo-3-cloropropano       | 0.00001           | 0.0002            | ND                                       |
| 1,2-Dibromoetano (EDB)           | 0.00002           | 5e-005            | ND                                       |
| <b>Derivados de Desinfección</b> |                   |                   |  |
| Bromato                          | 0.001             | 0.01              | ND                                       |
| Clorito                          | 0.02              | 1                 | ND                                       |
| D/DBP Ácidos Haloacéticos (HAA5) | 0.002             | 0.06              | ND                                       |
| Total de Trihalometanos (Calc.)  | 0.001             | 0.08              | ND                                       |
| <b>Desinfectantes Residuales</b> |                   |                   |  |
| Cloraminas                       | 0.1               |                   | ND                                       |
| Dióxido de Cloro                 | 0.24              |                   | ND                                       |
| Cloro Residual, Total            | 0.1               |                   | ND                                       |
| <b>Otros Contaminantes</b>       |                   |                   |  |
| Percloruro                       | 0.001             | 0.002             | ND                                       |

Todas las unidades en (mg/l) o Partes por Millón (PPM) a menos que se indique lo contrario.

- ◆ EPA Estándar Secundario – normas no obligatorias que regulan contaminantes que puedan causar efectos cosméticos o estéticos en el agua potable.
- † Establecido por el Departamento de Servicios de Salud de California

**MRL – Límite Mínimo de Reporte.** Donde estén disponibles, los MRL reflejan los Límites de Método de Detección establecidos por la Agencia de Protección Ambiental de los Estados Unidos o los Límites de Detección para Propósitos de Reportes (DLR) establecidos por el Departamento de Servicios de Salud de California. Estos valores están establecidos por las agencias para reflejar la concentración mínima de cada sustancia que puede ser cuantificable de manera confiable por métodos de prueba correspondientes, y que son también los umbrales de reporte mínimo correspondientes para los Reportes de Confianza del Consumidor producidos por los proveedores de agua de la llave.

**EPA MCL – Nivel Máximo Contaminante.** El nivel más elevado de una sustancia permitido por ley en agua potable (embotellada o de la llave). Los MCL mostrados son los MCL federales establecidos por la Agencia de Protección Ambiental y la Administración de Alimentos y Medicamentos de los Estados Unidos, a menos que no exista ningún MCL federal. †Donde no exista ningún MCL federal, los MCL mostrados son los MCL de California establecidos por el Departamento de Servicios de Salud de California. Los MCL de California se identifican con un (†).

**FDA SOQ – Declaraciones de Calidad.** El estándar (declaración) de calidad para agua embotellada es el nivel más elevado de un contaminante que se permite en un envase de agua embotellada, según establecido por la Administración de Alimentos y Medicamentos de los Estados Unidos (FDA) y el Departamento de Salud Pública de California. Los estándares no pueden ser menos protectores de la salud pública que los estándares para el agua potable pública, establecidos por la Agencia de Protección Ambiental de los Estados Unidos (EPA) o el Departamento de Salud Pública de California.

**Resultados Reportados –** El nivel más elevado de cada sustancia detectada o superior al MRL en muestras representativas de productos terminados.

ND - No detectado o bajo el MRL.

NR - No figura en las regulaciones Estatales o Federales de agua potable.

NA – No corresponde para el método de prueba específico o parámetro de prueba.

PPB - Partes por Mil Billon. Equivalente a microgramos por litro (µg/l).

**Fuente de agua de manantial:** Lukens Spring, Placer County, CA.



Nuestro producto se ha probado de forma completa conforme a las leyes federales y de California. Nuestra agua embotellada es un producto alimenticio y no puede ser vendida a menos que cumpla las normas establecidas por la Administración de Drogas y Alimentos de los Estados Unidos y el Departamento de Salud Pública de California.

## Las declaraciones siguientes se requieren bajo las leyes de California:

“El agua potable, incluyendo el agua embotellada, puede razonablemente esperarse que contenga por lo menos cantidades pequeñas de algunos contaminantes. La presencia de contaminantes no indica necesariamente que el agua contenga un riesgo para la salud. Mayor información sobre los contaminantes y los efectos de salud potenciales puede ser obtenida llamando a la Administración de Drogas y Alimentos de los Estados Unidos, usando la Línea Directa sobre Alimentos y Cosméticos (1-888-723-3366).”

“Algunas personas pueden ser más vulnerables a los contaminantes en el agua potable que la población en general. Las personas inmunocomprometidas, incluyendo, pero no limitado a, personas con cáncer que están bajo quimioterapia, personas que han recibido trasplantes de órganos, personas con HIV/AIDS (SIDA) u otros desórdenes del sistema inmunológico, algunas personas de mayor edad, y los infantes pueden estar particularmente bajo riesgo de infecciones. Estas personas deben buscar consejo sobre el agua potable de sus proveedores

de servicios de salud. Las guías de la Agencia de Protección Ambiental de Estados Unidos y de los Centros para el Control y la Prevención de Enfermedades sobre las medidas apropiadas para disminuir el riesgo de infección por *Cryptosporidium* y otros contaminantes microbianos están disponibles a través de la Línea Directa sobre Agua Potable Segura (1-800-426-4791).”

“Las fuentes del agua embotellada incluyen los ríos, los lagos, las corrientes, los estanques, los embalses, los manantiales, y los pozos. Mientras que el agua viaja naturalmente sobre la superficie de la tierra o a través de los suelos, puede recoger sustancias naturales que ocurren así como las sustancias que están presentes debido a la actividad humana y a la fauna. Las sustancias que puedan estar presentes en la fuente de agua incluyen cualquiera de las siguientes:

1. Las sustancias inorgánicas, incluyendo, pero no limitado a, las sales y los metales, que pueden ocurrir naturalmente o sean resultado de cultivos agrícolas, arrastre de aguas pluviales urbanas, aguas

servidas industriales o domésticas, o producción de petróleo y gas.

2. Los plaguicidas y herbicidas que pueden proceder de una variedad de fuentes, pero no limitado a, la agricultura, el arrastre de aguas pluviales urbanas, y las aplicaciones residenciales.
3. Las sustancias orgánicas que son subproductos de procesos industriales y de la producción del petróleo y pueden provenir de gasolineras, del arrastre de aguas pluviales urbanas, del uso agrícola, y de sistemas sépticos.
4. Organismos microbianos que pueden originarse en la fauna, las operaciones de cría de ganado, las plantas de tratamiento de aguas residuales, y los sistemas sépticos.
5. Las sustancias con características radiactivas que pueden ocurrir naturalmente o sean el resultado de la producción de petróleo y gas, y de las actividades de minería.”

**Las leyes de California requieren una referencia al sitio Web del FDA para revocaciones (recalls):** <http://www.fda.gov/opacom/7alerts.html>

“Para asegurarse que el agua embotellada sea segura para beber, la Administración de Alimentos y Drogas de los Estados Unidos y el Departamento de la Salud Pública del Estado prescriben las regulaciones que limitan la cantidad de ciertos contaminantes en el agua suministrada por las compañías embotelladoras de agua.”