



## Water Analysis Report

Report Date: September 2006  
 Testing Period: 1<sup>st</sup> Qtr 2006 – 3<sup>rd</sup> Qtr 2006

SUBSTANCE	MRL*	MCL**	WATER TYPES			
			OZARKA® NATURAL SPRING WATER	OZARKA® FLUORIDATED WATER	OZARKA® DRINKING WATER	OZARKA® DISTILLED WATER
			L E V E L F O U N D			
<b>Volatile Organic Compounds</b>						
Benzene	0.0005	0.005	ND	ND	ND	ND
Carbon tetrachloride	0.0005	0.005	ND	ND	ND	ND
Chlorobenzene (Monochlorobenzene)	0.0005	0.100	ND	ND	ND	ND
1,2-Dichlorobenzene (o-DCB)	0.0005	0.600	ND	ND	ND	ND
1,4-Dichlorobenzene (p-DCB)	0.0005	0.075	ND	ND	ND	ND
1,1-Dichloroethane (1,1-DCA)	0.0005	0.005	ND	ND	ND	ND
1,2-Dichloroethane (1,2-DCA)	0.0005	0.005	ND	ND	ND	ND
1,1-Dichloroethylene	0.0005	0.007	ND	ND	ND	ND
cis-1,2-Dichloroethylene	0.0005	0.070	ND	ND	ND	ND
trans-1,2-Dichloroethylene	0.0005	0.100	ND	ND	ND	ND
1,2-Dichloropropane	0.0005	0.005	ND	ND	ND	ND
1,3-Dichloropropene (Telone II)	0.0005	0.0005	ND	ND	ND	ND
Ethylbenzene	0.0005	0.700	ND	ND	ND	ND
Methylene chloride (Dichloromethane)	0.0005	0.005	ND	ND	ND	ND
Methyl-tert-Butyl-ether (MTBE)	0.003	0.013	ND	ND	ND	ND
Styrene	0.0005	0.100	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	0.0005	0.001	ND	ND	ND	ND
Tetrachloroethylene	0.0005	0.005	ND	ND	ND	ND
Toluene	0.0005	1.000	ND	ND	ND	ND
1,2,4-Trichlorobenzene	0.0005	0.070	ND	ND	ND	ND
1,1,1-Trichloroethane (1,1,1-TCA)	0.0005	0.200	ND	ND	ND	ND
1,1,2-Trichloroethane (1,1,2-TCA)	0.0005	0.005	ND	ND	ND	ND
Trichloroethylene (TCE)	0.0005	0.005	ND	ND	ND	ND
Trichlorofluoromethane (Freon 11)	0.005	0.150	ND	ND	ND	ND
1,1,2-Trichloro-1,2,2-Trifluoroethane (Freon 113)	0.010	1.200	ND	ND	ND	ND
Trihalomethanes (THM - Total)	0.0005	0.080	ND – 0.0011	ND	0.0011 – 0.0016	ND – 0.0007
Vinyl Chloride (VC)	0.0005	0.002	ND	ND	ND	ND
Xylenes (Total)	0.0005	10.000	ND	ND	ND	ND
<b>Synthetic Organic Compounds</b>						
Alachlor	0.0002	0.002	ND	ND	ND	ND
Aldicarb	0.0005	0.003	ND	ND	ND	ND
Aldicarb sulfone	0.0008	0.002	ND	ND	ND	ND

All units in milligrams per liter (mg/l) or Parts per Million (PPM) unless otherwise indicated.



## Water Analysis Report

Report Date: September 2006  
 Testing Period: 1<sup>st</sup> Qtr 2006 – 3<sup>rd</sup> Qtr 2006

SUBSTANCE	MRL*	MCL**	WATER TYPES			
			OZARKA® NATURAL SPRING WATER	OZARKA® FLUORIDATED WATER	OZARKA® DRINKING WATER	OZARKA® DISTILLED WATER
			L E V E L F O U N D			
<b>Synthetic Organic Compounds (con inued)</b>						
Aldicarb sulfoxide	0.0005	0.004	ND	ND	ND	ND
Atrazine	0.0001	0.003	ND	ND	ND	ND
Bentazon	0.002	0.018	ND	ND	ND	ND
Benzo(a)pyrene	0.00002	0.0002	ND	ND	ND	ND
Carbofuran	0.0009	0.040	ND	ND	ND	ND
Chlordane	0.0002	0.002	ND	ND	ND	ND
Dalapon	0.001	0.200	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane (DBCP)	0.00002	0.0002	ND	ND	ND	ND
2,4-Dichlorophenoxyacetic acid (2,4-D)	0.0001	0.070	ND	ND	ND	ND
Di(2-ethylhexyl)adipate	0.0006	0.400	ND	ND	ND	ND
Di(2-ethylhexyl)phthalate	0.0006	0.006	ND	ND	ND	ND
Dinoseb	0.0002	0.007	ND	ND	ND	ND
Diquat	0.0004	0.020	ND	ND	ND	ND
Endothall	0.009	0.100	ND	ND	ND	ND
Endrin	0.00001	0.002	ND	ND	ND	ND
Ethylene dibromide	0.00001	0.00005	ND	ND	ND	ND
Glyphosate	0.006	0.700	ND	ND	ND	ND
Heptachlor	0.00004	0.0004	ND	ND	ND	ND
Heptachlor epoxide	0.00002	0.0002	ND	ND	ND	ND
Hexachlorobenzene	0.0001	0.001	ND	ND	ND	ND
Hexachlorocyclopentadiene	0.0001	0.050	ND	ND	ND	ND
Lindane	0.00002	0.0002	ND	ND	ND	ND
Methoxychlor	0.0001	0.040	ND	ND	ND	ND
Molinate	0.002	0.020	ND	ND	ND	ND
Oxamyl	0.002	0.200	ND	ND	ND	ND
Pentachlorophenol	0.00004	0.001	ND	ND	ND	ND
Picloram	0.0001	0.500	ND	ND	ND	ND
Polychlorinated biphenyls (PCBs)	0.0001	0.0005	ND	ND	ND	ND
Simazine	0.00007	0.004	ND	ND	ND	ND
Thiobencarb	0.001	0.070†	ND	ND	ND	ND
Toxaphene	0.001	0.003	ND	ND	ND	ND
2,3,7,8-TCDD (Dioxin)	0.005 x 0.010 - 0.006	0.003 x 0.010 - 0.005	ND	ND	ND	ND
2,4,5-TP (Silvex)	0.0002	0.050	ND	ND	ND	ND

All units in milligrams per liter (mg/l) or Parts per Million (PPM) unless otherwise indicated.



## Water Analysis Report

Report Date: September 2006  
 Testing Period: 1<sup>st</sup> Qtr 2006 – 3<sup>rd</sup> Qtr 2006

SUBSTANCE	MRL*	MCL**	WATER TYPES			
			OZARKA® NATURAL SPRING WATER	OZARKA® FLUORIDATED WATER	OZARKA® DRINKING WATER	OZARKA® DISTILLED WATER
			L E V E L F O U N D			
<b>Inorganic Minerals and Metals</b>						
Aluminum	0.050	0.200	ND	ND	ND	ND
Antimony	0.00040	0.006	ND	ND	ND	ND
Arsenic	0.0014	0.010	ND	ND	ND	ND
Barium	0.002	2.00	0.016 – 0.050	0.046	ND	ND
Beryllium	0.0003	0.004	ND	ND	ND	ND
Bicarbonate	1.00	NR	ND – 14	ND	29	ND
Bromate	0.005	0.010	ND	ND	ND – 0.0027	ND
Bromide	0.005	NR	ND	ND	ND	ND
Cadmium	0.001	0.005	ND	ND	ND	ND
Calcium	0.10	NR	1.1 – 4.0	2.0	11 – 12	ND
Chloride	0.10	250.00	4.0 – 19	5.4	20 – 22	ND
Chromium	0.001	0.100	ND	ND	ND	ND
Copper	0.050	1.00	ND	ND	ND	ND
Cyanide	0.020	0.200	ND	ND	ND	ND
Fluoride	0.100	2.0 (1.4 – 2.4)	ND – 0.054	0.73	ND – 0.077	ND
Iron	0.010	0.300	ND	ND	ND	ND
Lead	0.005	0.005	ND	ND	ND	ND
Magnesium	0.10	NR	0.75 – 1.3	0.86	1.2	ND
Manganese	0.020	0.050	ND – 0.0051	ND	ND	ND
Mercury	0.0002	0.002	ND	ND	ND	ND
Nickel	0.0005	0.100	ND	ND	ND	ND
Nitrate (as N)	0.010	10.00	0.17 – 2.0	0.87	ND – 0.27	ND
Nitrite (as N)	0.010	1.00	ND	ND	ND	ND
Potassium	0.10	NR	1.0 – 8.8	1.6	ND – 0.76	ND
Selenium	0.005	0.050	ND	ND	ND	ND
Silver	0.010	0.100	ND	ND	ND	ND
Sodium	0.20	NR	2.7 – 11	4.0	13	ND
Sulfate	0.10	250.00	1.3 – 6.2	1.2	ND – 4.7	ND
Thallium	0.0003	0.002	ND	ND	ND	ND
Zinc	0.050	5.00	ND	ND	ND	ND

All units in milligrams per liter (mg/l) or Parts per Million (PPM) unless otherwise indicated.



## Water Analysis Report

Report Date: September 2006  
 Testing Period: 1<sup>st</sup> Qtr 2006 – 3<sup>rd</sup> Qtr 2006

WATER TYPES			
OZARKA® NATURAL SPRING WATER	OZARKA® FLUORIDATED WATER	OZARKA® DRINKING WATER	OZARKA® DISTILLED WATER
LEVEL FOUND			

SUBSTANCE	MRL*	MCL**				
<b>Radiologicals</b>			All Radiologicals results are in full compliance with all FDA and EPA standards for bottled and drinking water.			
Gross alpha particle activity (pCi/L)	3.00	15.00				
Gross beta (pCi/L)	4.00	50.00				
Radium 226 + Radium 228 (sum) (pCi/L)	1.00	5.00				
Uranium (pCi/L)	0.001	0.030				

### Other Parameters

Parameter	MRL*	MCL**	Ozarka Natural Spring Water	Ozarka Fluoridated Water	Ozarka Drinking Water	Ozarka Distilled Water
Alkalinity (mg/l)	1.00	NR	ND – 14	ND	29	N
Asbestos (MFL)	0.01	7.00	ND	ND	ND	ND
Conductivity (umhos/cm)	1.00	NR	37.5 – 104	41.4	130 – 137	1.15 – 1.17
Hardness, Total (mg/l)	0.50	NR	2.8 – 9.9	4.9	26 – 29	ND
Total Dissolved Solids (mg/l)	1.00	NR	25 – 120	26	73 – 94	ND
pH (units)	NA	NR	5.07 – 6.06	5.01	6.67 – 7.41	4.50 – 5.68
Turbidity (NTU)	0.1000	0.50	ND	ND	ND	ND
Total Coliform	<1cfu/100ml	Absent	Absent	Absent	Absent	Absent

All units in milligrams per liter (mg/l) or Parts per Million (PPM) unless otherwise indicated.

**Level Found** - The highest level of each substance detected at or above the MRL\* in representative finished product samples.

**\*\*MCL** - Maximum Contaminant Level. The highest level of a substance allowed by law in drinking water (bottled or tap water). The MCLs shown are the federal MCLs set by the U.S. Environmental Protection Agency and the Food and Drug Administration, unless no federal MCL exists.

**MFL** - Million Fibers per Liter.

**\*MRL** - Minimum Reporting Limit. Where available, MRLs reflect the Method Detection Limits (MDLs) set by the U.S. Environmental Protection Agency or the

Detection Limits for Purposes of Reporting (DLRs). These values are set by the agencies to reflect the lowest concentration of each substance that can be accurately quantified by applicable testing methods, and are also the minimum reporting thresholds applicable to the Consumer Confidence Reports produced by tap water suppliers.

**ND** - Not detected at or above the MRL.

**ppb** - Parts per Billion. Equivalent to micrograms per liter (µg/l).

**NR** - Not listed in State or Federal drinking water regulations.

**NA** - Not applicable to specific test method or test parameter.



www.nestlewatersnorthamerica.com

Nestlé Waters North America is proud to have Ozarka Brand® Natural Spring Water as part of its portfolio of preeminent bottled water brands.

© 2007 Nestlé Waters North America Inc.

